

PRICE BOOK

JULY 1, 2007



ALARM LOCK

ALARM LOCK SYSTEMS, INC

345 Bayview Ave.

Amityville, NY 11701

1-800-ALA-LOCK (252-5625)

(631) 789-4871 Tel or (631) 789-3383 Fax



Price Book 2007

Important Things to Know about Doing Business with Alarm Lock Systems, Inc.

Prices: Prices shown in this book are list prices. All customers with direct accounts receive a discount letter along with each new price book. If you have a direct account with Alarm Lock you may request a copy of your discount letter in writing or by contacting your local sales representative.

Terms: 2%/10 Days Net 30. Any invoice not paid within the 10 days following the invoice date is not entitled to the 2% discount.

Freight Allowance: Shipments are F.O.B. Amityville, NY. Freight allowed within the continental U.S.A. is \$7,500.00.

Order acknowledgements: your original faxed order will be faxed back to you with an order number and ship date.

Drop Shipments: Any customer that repeatedly has orders drop shipped directly to an address other than their own or one of their branches, will be subject to a 10% surcharge. The 10% will appear as a separate line item on your invoice.

Claims: All claims for discrepancies in shipments must be submitted within 10 days following receipt of said shipment. No short shipments or claims for damages will be honored after the 10 day period.

Returns: If you need to return a product, please fax your request to 631 842-3574 or call 1 800 252-5625 ext 149.

Warranty: Please see the last page in this price book for Alarm Lock's complete warranty/return policy.

Website: Visit us at www.alarmlock.com for a complete list of sales representatives by state, product specifications, technical data, downloadable pdf files of all Alarm Lock's products as well as the most current version of our software DL-Windows.

If you need to contact us:

Alarm Lock Systems, Inc.
345 Bayview Ave
Amityville NY 11701

Toll free number – 1 800 ALA-LOCK (252-5625)
Direct telephone – 631 789-4871
Direct fax – 631 789-3383



Price Book 2007

Table of Contents

	Page		Page
Trilogy DL2700.....	4	Trilogy DL2800.....	5
Trilogy DL3000.....	6	Trilogy DL4100	7
Trilogy PDL3000.....	8	Trilogy PL3000.....	9
Trilogy PDL4100.....	10	Trilogy PL4100.....	11
Trilogy Cylindrical Lock Parts.....	12	Trilogy DL3500.....	13 & 14
Trilogy DL4500.....	15	Trilogy PDL3500/PL3500.....	16 & 17
Trilogy PDL4500.....	18 & 19	Trilogy Mortise Lock Parts.....	19
Trilogy Narrow Stile DL1200	20	Trilogy Narrow Stile DL1300.....	21
Trilogy Narrow Stile PDL1300.....	22	Trilogy Narrow Stile Parts.....	23
Trilogy Exit Products.....	24, 25 & 26	Trilogy Electronic Keypads.....	27
Stand Alone Keypads, Transformers & Power Supplies.....	28 & 29	New Weather-Resistant Alarmed Panic Devices.....	30
Alarmed Panic Devices.....	31	Door Alarms.....	32
Delayed Egress Panic Device.....	33	Electric Deadbolts.....	34
Remote Release Magnets.....	35	Power Magnets.....	36
Alarm Lock Return/Warranty Policy.....	37		

******* PLEASE MAKE NOTE OF THE NEW PRODUCTS IN THIS PRICE BOOK *******

Page 8 - New PDL3000K/26D – Key over-ride audit trail now available in our standard model PDL3000

Page 21 & 22 - New DL1300 & PDL1300 – Narrow stile locks with audit trail & proximity capabilities

Page 28 & 29 – New A-100 keypads, Transformers & Power Supplies

Page 30 - New 250WP & 700WP – Our reliable alarmed exit devices now weather-resistant



TRILOGY ELECTRONIC DIGITAL LOCKS

DL2700 SERIES – Electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



PRODUCT	FINISH	LIST PRICE
DL2700	US26D	675.00
Standard key override	US26, US3, US5 & US10B	730.00
DL2775	US26D	690.00
Standard Key override Regal (curved)	US26, US3, US5 & US10B	745.00
DL2700IC*	US26D	690.00
Interchangeable core	US26, US3, US5 & US10B	745.00
DL2775IC*	US26D	705.00
Interchangeable core Regal (curved)	US26, US3, US5 & US10B	760.00
DL2700WP	US26D	715.00
Weather proof key override	US26, US3, US5 & US10B	770.00
DL2775WP	US26D	730.00
Weather proof key override Regal (curved)	US26, US3, US5 & US10B	785.00
DL2700WPIC*	US26D	730.00
Weather proof Interchangeable core	US26, US3, US5 & US10B	785.00
DL2775WIC*	US26D	745.00
New Regal (curved) lever Interchangeable core	US26, US3, US5 & US10B	805.00

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

DL2750	US26D	670.00
Standard key override knob	US26, US 3 & US5	730.00
DL2750IC	US26D	690.00
Interchangeable core knob	US26, US 3 & US5	745.00
DL2750WPIC	US26D	730.00
Weather proof Interchangeable core knob	US26D	730.00
DL2700SKLE	Mounted DL2700 demo	670.00



Price Book 2007

TRILOGY ELECTRONIC DIGITAL LOCKS

DL2800 SERIES – Electronic battery operated digital lock. Holds up to 200 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
 IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



All DL2800 LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
DL2800	US26D	785.00
Standard key override	US26, US3, US5 & US10B	845.00
DL2875	US26D	805.00
Standard key override	US26, US3, US5 & US10B	860.00
Regal (curved) lever		
DL2800IC*	US26D	805.00
Interchangeable core	US26, US3, US5 & US10B	860.00
DL2875IC*	US26D	820.00
Interchangeable core	US26, US3, US5 & US10B	875.00
Regal (curved) lever		

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

DL2800SK/26D	Mounted DL2800 demo	785.00
AL-DTMIII	Data Transfer Module	380.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows Software	100.00
ALPCI2-U	Computer interface cable with serial And USB connections includes DL-Windows software	200.00
AL-IR1	Infrared Printer	440.00

TRILOGY ELECTRONIC DIGITAL LOCKS

DL3000 SERIES – Electronic battery operated digital lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



PRODUCT	FINISH	LIST PRICE
DL3000	US26D	940.00
Standard key override	US26, US3, US5 & US10B	995.00
DL3075	US26D	955.00
Standard key override	US26, US3, US5 & US10B	1,010.00
Regal (curved) lever		
DL3000IC*	US26D	955.00
Interchangeable core	US26, US3, US5 & US10B	1,010.00
DL3075IC*	US26D	970.00
Interchangeable core	US26, US3, US5 & US10B	1,025.00
Regal (curved) lever		
DL3000WP	US26D	980.00
Weather proof key override	US26, US3, US5 & US10B	1,035.00
DL3075WP	US26D	995.00
Weather proof key override	US26, US3, US5 & US10B	1,050.00
Regal (curved) lever		
DL3000WPIC*	US26D	995.00
Weather proof interchangeable core	US26, US3, US5 & US10B	1,050.00
DL3075WPIC*	US26D	1,010.00
Weather proof interchangeable core	US26, US3, US5 & US10B	1,065.00
Regal (curved) lever		

***Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).**

DL3000SKLE	Mounted DL3000 demo	1,050.00
AL-DTMIII	Data Transfer Module	380.00
AL-PCI2	Computer interface cable for serial connection with DL-Windows Software	100.00
ALPCI2-U	Computer interface cable for serial & USB connection with DL-Windows software	200.00
AL-IR1	Infra red Printer	440.00

TRILOGY ELECTRONIC DIGITAL LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4100 SERIES - Electronic battery operated digital lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models:
Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL DL4100 LOCKS ARE WEATHER RESISTANT

PRODUCT	FINISH	LIST PRICE
DL4100 Standard key override	US26D US26, US3, US5 & US10B	750.00 805.00
DL4175 Standard key override w/Regal (curved) lever	US26D US26, US3, US5 & US10B	765.00 820.00
DL4100IC Interchangeable core prepped for Best®	US26D US26, US3, US5 & US10B	765.00 820.00
DL4175IC Interchangeable core prepped for Best® W/Regal (curved) lever	US26D US26, US3, US5 & US10B	780.00 820.00

***Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).**

DL4100SK/26D	Mounted sales kit	765.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	430.00
AL-DTMIII	Data Transfer Module	380.00

Price Book 2007

TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PDL3000 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
 IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**NEW PDL3000 AVAILABLE WITH KEY OVER-RIDE AUDIT TRAIL SEE PART NUMBER BELOW
 ALL PDL3000 PROXIMITY LOCKS ARE WEATHER-RESISTANT**

PRODUCT	FINISH	LIST PRICE
PDL3000K/26D	US26D	1,376.00
PDL3000	US26D	1,345.00
Standard key override	US26, US3, US5 & US10B	1,400.00
PDL3075		
Standard key override	US26D	1,360.00
Regal (curved) lever	US26, US3, US5 & US10B	1,415.00
PDL3000IC*	US26D	1,360.00
Interchangeable core	US26, US3, US5 & US10B	1,415.00
PDL3075IC*		
Interchangeable core	US26D	1,375.00
Regal (curved) lever	US26, US3, US5 & US10B	1,430.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

PDL3000SKLE	Mounted DL3000 demo	1,360.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00

TRILOGY ELECTRONIC PROXIMITY ONLY LOCKS

PL3000 SERIES - Electronic battery operated proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Programming: 9 prox program cards included
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
 IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PL3000 PROXIMITY LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
PL3000	US26D	1,345.00
Standard key override	US26, US3, US5 & US10B	1,400.00
PL3075	US26D	1,360.00
Standard key override	US26, US3, US5 & US10B	1,415.00
Regal (curved) lever		
PL3000IC*	US26D	1,360.00
Interchangeable core	US26, US3, US5 & US10B	1,415.00
PL3075IC*	US26D	1,375.00
Interchangeable core	US26, US3, US5 & US10B	1,430.00
Regal (curved) lever		

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

PL3000SKLE	Mounted DL3000 demo	1,360.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00

TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4100 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
Backset:	2 3/4" (2 3/8" also available)
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Door prep:	Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
Compliances:	Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
Interchangeable Core Models:	Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PDL4100 LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
PDL4100	US26D	1,095.00
	US26, US3, US5 & US10B	1,150.00
PDL4175	US26D	1,110.00
	US26, US3, US5 & US10B	1,165.00
PDL4100IC	US26D	1,110.00
	US26, US3, US5 & US10B	1,165.00
PDL4175IC	US26D	1,125.00
	US26, US3, US5 & US10B	1,180.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever.

PDL4100SK/26D	Mounted PDL4100 demo	1,110.00
AL-PCI2	Computer interface cable for serial connection Includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection Includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00



TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS WITH PRIVACY & RESIDENCY FEATURES

PL4100 SERIES - Electronic battery operated proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Programming: 9 prox program cards included

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: Grade 1 heavy duty cylindrical lockset. UL listed To the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PL4100 LOCK ARE WEATHER RESISTANT

PRODUCT	FINISH	LIST PRICE
PL4100	US26D	1,095.00
	US26, US3, US5 & US10B	1,150.00
PL4175	US26D	1,110.00
	US26, US3, US5 & US10B	1,165.00
PL4100IC	US26D	1,110.00
	US26, US3, US5 & US10B	1,165.00
PL4175IC	US26D	1,125.00
	US26, US3, US5 & US10B	1,180.00

***Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever.**

PL4100SK/26D	Mounted PDL4100 demo	1,180.00
AL-PCI2	Computer interface cable for serial connection Includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection Includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00



TRILOGY CYLINDRICAL LOCK PARTS

Part Number	Description	List Price
S6054	Outside housing for DL2700WP available finishes 26, 26D, 3, 5 & 10B	285.00
S6126	Outside housing for DL2800WP available finishes 26, 26D, 3, 5 & 10B	360.00
S6047	Outside housing for DL3000WP available finishes 26, 26D, 3, 5 & 10B	545.00
S6122	Outside housing for PDL3000 available finishes 26, 26D, 3, 5 & 10B	850.00
S6045	Standard key override lockbody complete	255.00
S6046	Best prep interchangeable core lockbody complete	255.00
S6045-C/R	Corbin/Sargent prep interchangeable core lockbody complete	285.00
S6045-Y/M	Yale/Medeco prep interchangeable core lockbody complete	285.00
S6045-S	Schlage prep interchangeable core lockbody complete	285.00
HW614	Outside lever standard prep available finishes 26, 26D, 3, 5 & 10B	30.00
HW616C	Outside lever Best IC prep available finishes 26, 26D, 3, 5 & 10B	30.00
HW592A	Battery Cover available finishes 26, 26D, 3, 5 & 10B	15.00
P5849	Latch bolt 2 3/4" available finishes 26, 26D, 3, 5 & 10B	20.00
S5980-1	Latch bolt 2 3/8" 26D finish	20.00
S5980-2	Latch bolt 2 3/8" US5 finish	20.00
HW470	4 7/8" strike available finishes 26, 26D, 3, 5 & 10B	10.00
HW577	2 3/4" strike available finishes 26, 26D, 3, 5 & 10B	10.00
HW596	Standard cylinder w/2 keys available finishes 26D & US3	20.00
S6148	Lever return spring	3.00
S6061	Replacement battery pack	40.00
HW580	Schlage® key override tailpiece for DL2700, DL3000 & PDL3000	6.00
HW620	Lori® key override tailpiece for DL2700/ DL3000/PDL3000	6.00
HW597	Alarm Lock DL2700, DL3000 & PDL3000 key override tailpiece	6.00
HW598	DL2700IC, DL3000IC & PDL3000IC Interchangeable core tailpiece	6.00
WA160	Washer for HW620, HW597 & HW598	3.00
S6072	Set of spacer for doors less Than 1 3/8" thick Used on cylindrical locks	60.00
CW-27AB	Wrap around plate US5	60.00
CW-27PB	Wrap around plate US3	60.00
CW-27S	Wrap around plate US32D	60.00
DL2700DJ	Drilling jig for DL2700 & DL3000	325.00



Price Book 2007

TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS
DL3500 SERIES - Electronic battery operated digital mortise lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL DL3500 MORTISE LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
DL3500CRR		
Straight lever classroom function	US26D	1,100.00
Right hand	US26, US3, US5 & US10B	1,160.00
DL3500CRL		
Straight lever classroom function	US26D	1,100.00
Left Hand	US26, US3, US5 & US10B	1,160.00
DL3500DBR		
Straight lever deadbolt function	US26D	1,100.00
Right hand	US26, US3, US5 & US10B	1,160.00
DL3500DBL		
Straight lever deadbolt function	US26D	1,100.00
Left Hand	US26, US3, US5 & US10B	1,160.00
DL3575CRR		
Regal (curved) lever classroom	US26D	1,115.00
Function right hand	US26, US3, US5 & US10B	1,175.00
DL3575CRL		
Regal (curved) lever classroom	US26D	1,115.00
Function left hand	US26, US3, US5 & US10B	1,175.00
DL3575DBR		
Regal (curved) lever deadbolt	US26D	1,115.00
Function right hand	US26, US3, US5 & US10B	1,175.00
DL3575DBL		
Regal (curved) lever deadbolt	US26D	1,115.00
Function left hand	US26, US3, US5 & US10B	1,175.00



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS (con't)

PRODUCT	DESCRIPTION	LIST PRICE
DL3500SK/26D	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	1,145.00
DL3575SK/26D	Mounted sales kit, Regal curved lever. Available in classroom or deadbolt function.	1,160.00
AL-DTMIII	Data Transfer Module	380.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra red Printer	440.00

MORTISE LOCK ACCESSORIES

CLASSROOM FUNCTION CAMS		
HW956-L	Alarm Lock Standard Straight Cam	3.00
HW956-M	Marks Straight Cam	3.00
HW956-C	Corbin-Russwin Straight Cam	3.00
HW956-S	Schlage Straight Cam	3.00
HW956-A	Arrow Straight Cam	3.00
HW956-R	Sargent Straight Cam	3.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	3.00
HW957-M	Marks Cloverleaf Cam	3.00
HW957-C	Corbin-Russwin Cloverleaf Cam	3.00
HW957-S	Schlage Cloverleaf Cam	3.00
HW957-A	Arrow Cloverleaf Cam	3.00
HW957-S	Sargent Cloverleaf Cam	3.00
HW1141-S	Schlage IC Cloverleaf Cam	3.00

S6123	Mortise lock outside housing available finishes 26, 26D, 3, 5 & 10B	825.00
HW1221D	Outside lever support spring	3.00
HW838E	Inside Lever support spring	3.00
S6065	Replacement Battery Pack	30.00



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4500 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL DL4500 LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
DL4500DBR Straight lever deadbolt function Right hand	US26D US26, US3, US5 & US10B	850.00 905.00
DL4500DBL Straight lever deadbolt function Left Hand	US26D US26, US3, US5 & US10B	850.00 905.00
DL4575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US5 & US10B	865.00 920.00
DL4500SK/26D	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	905.00
DL4575SK/26D	Mounted sales kit, Regal curved lever. Available in classroom or deadbolt function.	920.00
AL-PC12	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPC12-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00



TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS

PDL3500/PL3500 - Electronic battery operated digital mortise lock. Holds up to 2000 user codes, Master, Management, Supervisor & basic user. 500 scheduled events, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8" strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
Functions:	Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL PDL3500 LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
PDL3500CRR		
Straight lever classroom function	US26D	1,415.00
Right hand	US26, US3, US5 & US10B	1,470.00
PDL3500CRL		
Straight lever classroom function	US26D	1,415.00
Left Hand	US26, US3, US5 & US10B	1,470.00
PDL3500DBR		
Straight lever deadbolt function	US26D	1,415.00
Right hand	US26, US3, US5 & US10B	1,470.00
PDL3500DBL		
Straight lever deadbolt function	US26D	1,415.00
Left Hand	US26, US3, US5 & US10B	1,470.00
PDL3575CRR		
Regal (curved) lever classroom	US26D	1,430.00
Function right hand	US26, US3, US5 & US10B	1,485.00
PDL3575CRL		
Regal (curved) lever classroom	US26D	1,430.00
Function left hand	US26, US3, US5 & US10B	1,485.00



Price Book 2007

TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS (con't)

PRODUCT	DESCRIPTION	LIST PRICE
PDL3575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US5 & US10B	1,430.00 1,485.00
PDL3575DBL Regal (curved) lever deadbolt Function left hand	US26D US26, US3, US5 & US10B	1,430.00 1,485.00
PDL3500SK/26D	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	1,470.00
PDL3575SK/26D	Mounted sales kit, Regal curved lever. Available in classroom or deadbolt function.	1,485.00
PL3500CRR Straight lever classroom function Right hand	US26D US26, US3, US5 & US10B	1,415.00 1,470.00
PL3500CRL Straight lever classroom function Left Hand	US26D US26, US3, US5 & US10B	1,415.00 1,470.00
PL3500DBR Straight lever deadbolt function Right hand	US26D US26, US3, US5 & US10B	1,415.00 1,470.00
PL3500DBL Straight lever deadbolt function Left Hand	US26D US26, US3, US5 & US10B	1,415.00 1,470.00
PL3575CRR Regal (curved) lever classroom Function right hand	US26D US26, US3, US5 & US10B	1,430.00 1,485.00
PL3575CRL Regal (curved) lever classroom Function left hand	US26D US26, US3, US5 & US10B	1,430.00 1,485.00
PL3575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US5 & US10B	1,430.00 1,485.00
PL3575DBL Regal (curved) lever deadbolt Function left hand	US26D US26, US3, US5 & US10B	1,430.00 1,485.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL- Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00

TRILOGY ELECTRONIC DIGITAL PROXIMITY MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4500 - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8" strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
Functions:	Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf cam
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL PDL4500 LOCKS ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
PDL4500DBR Straight lever deadbolt function Right hand	US26D US26, US3, US5 & US10B	1,215.00 1,270.00
PDL4500DBL Straight lever deadbolt function Left Hand	US26D US26, US3, US5 & US10B	1,215.00 1,270.00
PDL4575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US5 & US10B	1,230.00 1,285.00
PDL4575DBL Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US5 & US10B	1,230.00 1,285.00
PDL4500SK/26D	Mounted Sales Demo	1,285.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL- Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00



Price Book 2007

MORTISE LOCK ACCESSORIES

ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00

MORTISE LOCK ACCESSORIES

CLASSROOM FUNCTION CAMS		
HW956-L	Alarm Lock Standard Straight Cam	3.00
HW956-M	Marks Straight Cam	3.00
HW956-C	Corbin-Russwin Straight Cam	3.00
HW956-S	Schlage Straight Cam	3.00
HW956-A	Arrow Straight Cam	3.00
HW956-R	Sargent Straight Cam	3.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	3.00
HW957-M	Marks Cloverleaf Cam	3.00
HW957-C	Corbin-Russwin Cloverleaf Cam	3.00
HW957-S	Schlage Cloverleaf Cam	3.00
HW957-A	Arrow Cloverleaf Cam	3.00
HW957-S	Sargent Cloverleaf Cam	3.00
HW1141-S	Schlage IC Cloverleaf Cam	3.00

HW1221D	Outside lever support spring	3.00
HW838E	Inside Lever support spring	3.00
S6065	Replacement Battery Pack	30.00



Price Book 2007

TRILOGY NARROW STYLE LOCK PRODUCTS

DL1200 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS1850S & MS1950S series deadbolts. 100 user codes, master, Manager, basic user and 3 “one-time” service codes.



SPECIFICATIONS:

Door thickness: supports style 1 3/4” only
Backset: supports 31/32”, 1 1/8”, & 1 1/2”
Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL DL1200 SERIES LOCKS ARE WEATHER-RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
DL1200/26D1	Lever set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch 26D finish	500.00
DL1200/10B1	Lever set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch 10B finish	500.00
DL1225/26D2	Turn piece works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 26D finish	500.00
DL1225/10B2	Turn piece works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 10B finish	500.00
DL1250/26D2	Knob set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 26D finish	500.00
DL1250/10B2	Knob set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 10B finish	500.00
DL1200/26D3	Lever set includes Adams Rite® 4900 spring latch 26D finish supports 1 1/8” backset	670.00
DL1200/26D4	Lever set includes Adams Rite® 4900 spring latch 26D finish supports 1 1/2” backset	670.00



TRILOGY NARROW STYLE LOCK PRODUCTS

DL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS1850S & MS1950S series deadbolts. 2,000 user codes, master, Manager, basic user and 3 “one-time” service codes.



SPECIFICATIONS:

- Door thickness:** supports style 1 3/4” only
- Backset:** supports 31/32”, 1 1/8”, & 1 1/2”
- Latch:** works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
- Handing:** non-handed
- Power:** uses 2 DL123A lithium batteries
- Keypad:** all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
- Cylinder:** supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
- Cams:** supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL DL1300 SERIES LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
DL1300/26D1	Lever set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch 26D finish	615.00
DL1300/10B1	Lever set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch 10B finish	615.00
DL1325/26D2	Turn piece works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 26D finish	615.00
DL1325/10B2	Turn piece works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 10B finish	615.00
DL1350/26D2	Knob set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 26D finish	615.00
DL1350/10B2	Knob set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 10B finish	615.00
DL1300/26D3	Lever set includes Adams Rite® 4900 spring latch 26D finish supports 1 1/8” backset	685.00
DL1300/26D4	Lever set includes Adams Rite® 4900 spring latch 26D finish supports 1 1/2” backset	685.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00

TRILOGY NARROW STILE LOCK PRODUCTS

PDL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS1850S & MS1950S series deadbolts. 2,000 user codes, master, Manager, basic user and 3 “one-time” service codes and proximity capability.



SPECIFICATIONS:

Door thickness: supports style 1 3/4” only
Backset: supports 31/32”, 1 1/8”, & 1 1/2”
Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes and HID proximity cards and fobs. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL NARROW STILE LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
PDL1300/26D1	Lever set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch 26D finish	875.00
PDL1300/10B1	Lever set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch 10B finish	875.00
PDL1325/26D2	Turn piece works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 26D finish	875.00
PDL1325/10B2	Turn piece works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 10B finish	875.00
PDL1350/26D2	Knob set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 26D finish	875.00
PDL1350/10B2	Knob set works with Adams Rite® 1850, 1950, 4710, 4070, 4730 & 4900 spring latch & MS1850S, MS1950 deadbolt latch 10B finish	875.00
PDL1300/26D3	Lever set includes Adams Rite® 4900 spring latch 26D finish supports 1 1/8” backset	1,030.00
PDL1300/26D4	Lever set includes Adams Rite® 4900 spring latch 26D finish supports 1 1/2” backset	1,030.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00



**TRILOGY NARROW STYLE LOCK PRODUCTS
(con't)**

ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 Per Box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1391	MicroProx Tag 10 per box	70.00
ALHID1346	Proximity keyfob 10 per box	100.00

PARTS

STANDARD MORTISE CAMS		LIST PRICE
HW1344	Corbin-Russwin standard cam	3.00
HW1346	Marks standard cam	3.00
HW1348	Arrow & Sargent standard cams	3.00
HW1349	Schlage standard cam	3.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	4.00
HW1347	Medeco IC cam	4.00
HW1350	Schlage IC cam	4.00
HW1343	Best IC cam	4.00
S6169-26D	Best IC housing with cam attached	35.00

TRILOGY EXIT LOCK PRODUCTS

Battery operated Trilogy outside trim works with Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8800, Precision 1100, 2200 & Cal Royal 9800 series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 2,000 user codes, 500 scheduled events and 40,000 event audit trail.

SPECIFICATIONS:

Cylinder:	Uses standard rim cylinder to operate key override function. Will accept 6 or 7 pin interchangeable core cylinders – see below.
Handing:	Non-handed
Power:	5 AA alkaline batteries (included) mounted on inside of door.
Keypad:	Weather-resistant all metal, 12 button. All functions Programmable through the keypad. PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



ALL ET SERIES LOCKS ARE WEATHER-RESISTANT

ETDL series	26D Finish	955.00
ETDL series	US3, US5, US26 & 10B Finish	1,010.00
ETDL series w/Regal lever	26D Finish	970.00
ETDL series w/Regal lever	US3, US5, US26 & 10B Finish	1,020.00
ETPDL series	26D Finish	1,250.00
ETPDL series	US3, US5, US26 & 10B Finish	1,305.00
ETPDL series w/Regal lever	26D Finish	1,265.00
ETPDL series w/Regal lever	US3, US5, US26 & 10B Finish	1,320.00
ETPL series	26D Finish	1,250.00
ETPL series	US3, US5, US26 & 10B Finish	1,010.00
ETPL series w/Regal lever	26D Finish	1,265.00
ETPL series w/Regal lever	US3, US5, US26 & 10B Finish	1,320.00
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder	
ET- AL Finish = 26, 26D, 3, 5, 10B	Adapter kit (Schlage C keyway)	40.00
ET- AR Finish = 26, 26D, 3, 5, 10B	Arrow Standard Rim Cylinder	
	Adapter kit	40.00
ET- AS Finish = 26, 26D, 3, 5, 10B	ASSA Standard Rim Cylinder	
	Adapter kit	40.00
ET - C Finish = 26, 26D, 3, 5, 10B	Corbin Standard Rim Cylinder	
	Adapter kit	40.00
ET - M Finish = 26, 26D, 3, 5, 10B	Medeco Standard Rim Cylinder	
	Adapter kit	40.00
ET - R Finish = 26, 26D, 3, 5, 10B	Sargent Standard Rim Cylinder	
	Adapter kit	40.00
ET - S Finish = 26, 26D, 3, 5, 10B	Schlage Standard Rim Cylinder	
	Adapter kit	40.00
ET - Y Finish = 26, 26D, 3, 5, 10B	Yale Standard Rim Cylinder	
	Adapter kit	40.00
ET - ARIC Finish = 26, 26D, 3, 5, 10B	Arrow IC 6 & 7 Pin Rim Cylinder	
	Adapter kit	65.00
ET - BIC Finish = 26, 26D, 3, 5, 10B	Best IC 6 & 7 Pin Rim Cylinder	
	Adapter kit	65.00
ET - CIC Finish = 26, 26D, 3, 5, 10B	Corbin IC Rim Cylinder	
	Adapter kit	65.00
ET - MIC Finish = 26, 26D, 3, 5, 10B	Medeco IC 6 & 7 Pin Rim Cylinder	
	Adapter kit	65.00



Price Book 2007

ET - RIC Finish = 26, 26D, 3, 5, 10B	Sargent IC Rim Cylinder Adapter kit	65.00
ET - SIC Finish = 26, 26D, 3, 5, 10B	Schlage IC Rim Cylinder Adapter kit	65.00
ET - YIC Finish = 26, 26D, 3, 5, 10B	Yale IC 6 Pin Rim Cylinder Adapter kit	65.00

Trilogy Exit Trim Accessories

Product	Description	LIST PRICE
ETDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11	Mounted sales kit For demo purposes	980.00
ETPDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11	Mounted sales kit For demo purposes	1,280.00
AL-PCI2	Computer interface cable for serial connection Includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection Includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 per box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1346	Proximity keyfob packed 10 per box	100.00
ALHID1391	MicroProx Tag 10 per box	70.00

EXTENDED SPINDLES CAN BE PURCHASED SEPARATELY

HW970J-5	Will fit 2 – 2 ¾” doors	45.00
HW970J-6	Will fit 3 – 4” doors	50.00
HW970J-7	Will fit 4 ¼ - 5” doors	55.00
SC544	Extended screws with adjustable Lengths 4 per unit	14.00
S6151	Outside lever support spring	

PLEASE SEE “HOW TO ORDER” CHART ON PAGE 18 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A 1 5/8” TO 1 7/8” DOOR.


***** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE FROM PRECISION*****

HOW TO ORDER YOUR TRILOGY EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific Brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.

ETPDLS1G/26DV99





TRILOGY ELECTRONIC DIGITAL KEYPAD

DK3000/PDK3000 Series - Electronic digital keypad. Available in keypad only and keypad plus prox. Holds up to 2,000 user codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Prox unit will read most HID cards and keyfobs.



Specifications:

- Wall mount :** Single gang box mounting .
- Wiring :** Unit provides flying leads for power, relays, tamper and remote Release.
- I/O Specs:** 2 form C relays 5AMP minimum contact rating. Red & green LED Indicators. 1 remote release input. Sounder and tamper.
- Power:** Operating voltage 12-24VDC selectable. Cutting 2 insulated wire loop provides 12V operation. Power supply not included.

ALL DK3000/PDK3000 ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
DK3000	Metalic silver (MS) Metalic bronze(MB)	490.00
	US26, US26D, US3, US5 & US10B	600.00
PDK3000	Metalic silver (MS) Metalic bronze(MB)	765.00
	US26, US26D, US3, US5 & US10B	870.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	100.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	200.00
AL-IR1	Infra-red Printer	440.00
AL-DTMIII	Data Transfer Module	380.00
AL-PRE	Prox Card Enroller	500.00
ALHID1326	Proximity Access Cards 100 per box	440.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	895.00
ALHID1386	Proximity and Photo ID Card 100 per box	810.00
ALHID1346	Proximity keyfob packed 10 per box	100.00
ALHID1391	MicroProx Tag 10 per box	70.00



NEW PRODUCTS

STAND ALONE KEYPADS

A-100	Interior use keypad 150 users	115.00
A-100WP	Exterior keypad vandal resistant 150 Users	360.00
A-100IMWP	Exterior illuminated mullion keypad 150 users	320.00

GENERAL POWER SUPPLIES

ALP-12V1A-KIT	1.5 Amp Linear Power Supply in can with battery and transformer	75.00
ALP-12V3A-KIT	3 Amp Linear Power Supply in can with battery and transformer	115.00
ALP-LPS6-24VDC	1.5 Amp Linear Power Supply,6,12,24V	20.00
ALP-P3A	3 Amp Power supply,6,12,24VDC	55.00
ALP-P5A	5 Amp Power supply,6,12,24VDC	80.00
ALP-P10A	10 Amp Power supply,6,12,24VDC	205.00
ALP-P3ASUP	3 Amp Supervised Power Supply,6,12,24VDC	80.00
ALP-P5ASUP	5 Amp Supervised Power Supply,6,12,24VDC	110.00
ALP-P7ASUP	7 Amp Supervised Power Supply,6,12,24VDC	160.00
ALP-P10ASUP	10 Amp Supervised Power Supply,6,12,24VDC	230.00

TRANSFORMERS

ALP-TRF1650	16VAC 50VA PLUG-IN	15.00
ALP-TRF2450	24VAC 50VA PLUG-IN	16.00
ALP-TRF24100	24VAC 100VA	47.00
ALP-TRF28100	28VAC 100VA	57.00
ALP-TRF28100	28VAC 175VA	69.00
ALP-TRF28300	28VAC 300VA	168.00



CCTV POWER SUPPLIES

ALP-4CC615DCUL	4 Camera, 6 to 15DCV, 2.5A CCTV PS in Enclosure	110.00
ALP-8CC615DCUL	8 Camera, 6 to 15DCV, 4A CCTV PS in Enclosure	210.00
ALP-CC24AC4UL	4 camera 4A, 24VAC CCTV PS in Enclosure	90.00
ALP-CC24AC8UL	8 camera 4A, 24VAC CCTV PS in Enclosure	115.00
ALP-CC24AC16UL	16 camera 8A, 24VAC CCTV PS in Enclosure	195.00
ALP-DMOD-4OUT	4 out Power distribution board	35.00
ALP-DMOD-8OUT	8 out Power distribution board	40.00

SECURITY TIMERS, RELAYS AND ACCESSORIES

ALP-PTM	12/24 Volt 1 second to 60 minute Timer	30.00
ALP-DTM7D24H	Single Channel programmable Timer	120.00
ALP-DTM7D24H-D	Dual Channel programmable Timer	175.00
ALP-PSC500	Universal Power Supply Cabinet.	110.00
ALP-RB6-24VDC	Relay Module, 6 or 12 V operation, 120mA draw	15.00
ALP-RB1224VDC/6	Break-a-way Relay 6 pack, 12 or 24 V operation, 50mA draw	45.00
ALP-AMOD8	Access Power Controller	135.00




NEW PRODUCTS WEATHER-RESISTANT ALARMED PANIC LOCKS

Models 250, 260, 700, 710

Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.

SPECIFICATIONS:

- Cover: Die-cast metal
- Push Bar: Extruded Aluminum channel and push bar
- Handed: All models non-handed except 11A
- Installation: Surface mounted for single or double doors
- Cylinder: Accepts most standard size rim cylinders for inside
And outside key control (not included)
- Power: Uses 1 9v battery (included). Normal battery life 1
Year. Can be powered by AC power by using either
PP100 or AC9.
- Lock bolt: 1" throw heavy die cast with reinforced
Steel inserts.
- Alarm: Dual piezo siren measured at 95db




PRODUCT	FINISH	LIST PRICE
250WP (PADDLE)	US28	415.00
260WP (PADDLE)	US28	450.00
700WP (36" BAR)	US28, US312 & Red	492.00
700X48WP (48" BAR)	US28 & US312	517.00
710WP (36"BAR)	US28	517.00
710X48WP (48"BAR)	US28	542.00

CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control	Solid Brass Body Satin Chrome Face	21.00
730 Single Door Strike for 250,260,700 & 710	US28 & US312	36.00
732 Double Door Strike for 250,260,700 & 710	US28 & US312	36.00
44 Double Door Holder	Aluminum	87.00
707 Exterior Door Pull use on 250,260 700 & 710 only	Metalic Silver (MS) Metalic Bronze (MB)	92.00
711 Exterior Finger Pull	US28 & US312 Use on 250,260,700 & 710 only	21.00
767 Mounting Plate for Aluminum Glass Door	US28 & US312 Use on 250,260,700 & 710 only	11.00
PP100 Optional AC Power Supply	aluminum	195.00
AC9 Optio nal AC Power Supply	aluminum	55.00




ALARMED PANIC DEVICES

Models 250, 260, 700, 710 & 11A– Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.



- SPECIFICATIONS:**
- Cover: Die-cast metal
 - Push Bar: Extruded Aluminum channel and push bar
 - Handed: All models non-handed except 11A
 - Installation: Surface mounted for single or double doors
 - Cylinder: Accepts most standard size rim cylinders for inside And outside key control (not included)
 - Power: Uses 1 9v battery (included). Normal battery life 1 Year. Can be powered by AC power by using either PP100 or AC9.
 - Lock bolt: 1" throw heavy die cast with reinforced Steel inserts.
 - Alarm: Dual piezo siren measured at 95db



PRODUCT	FINISH	LIST PRICE
250 (PADDLE)	US28	345.00
260 (PADDLE)	US28	380.00
700 (36" BAR)	US28, US312 & Red	425.00
700X48 (48" BAR)	US28 & US312	450.00
710 (36"BAR)	US28	450.00
710X48 (48"BAR)	US28	460.00
11A	Deadbolt only exit lock. Handed order 11A or 11ALH. Use BP6 Battery.	415.00

ACCESSORIES

CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control	Solid Brass Body Satin Chrome Face	21.00
730 Single Door Strike for 250,260,700 & 710	US28 & US312	36.00
732 Double Door Strike for 250,260,700 & 710	US28 & US312	36.00
K24A	11A Single door strike	26.00
K28	11A Double door strike	31.00
K210A	11A Strike for in-swing doors	36.00
44 Double Door Holder	Aluminum	87.00
22 Emergency Exit Pull (250/260/11A)	Aluminum	67.00
707 Exterior Door Pull use on 250,260 700 & 710 only	Metalic Silver (MS) Metalic Bronze (MB)	92.00
711 Exterior Finger Pull	US28 & US312 Use on 250,260,700 & 710 only	21.00
767 Mounting Plate for Aluminum Glass Door	US28 & US312 Use on 250,260,700 & 710 only	11.00
PP100 Optional AC Power Supply	aluminum	195.00
AC9 Optional AC Power Supply	aluminum	55.00
9936	Used to mount 11A on 36" glass door	67.00
9948	Used to mount 11A on 48" glass door	72.00
261	Current Transfer	51.00
BP6	Replacement battery for 11A	26.00



DOOR ALARMS

PG10, PG21 & PG30 SERIES – Battery operated surface mounted door alarms. Alarms magnetically activated. Easy to install. Convenient plug-in “No cut” jumpers.

SPECIFICATIONS:

- Power: PG21, PG30 use 9v battery (supplied). PG10 & LL1 use BP6 (supplied). BP6 must be purchased from Alarm Lock. AC power supply can also be used as a battery back up (see below).
- Alarm: Dual piezo siren measured at 95db.
- Cylinder: Accepts most 1¼” mortise cylinder used for interior activation (not supplied) and standard size rim cylinder used for exterior activation (not supplied).
- Installation: Surface mounted for single or double doors.
- Cover: Die cast metal.



PRODUCT	DESCRIPTION	LIST PRICE
PG10	Available in aluminum finish uses BP6 Battery replaced only through Alarm Lock	210.00
LL1	Same as PG10 with strobe light on top.	220.00
PG21MS PG21MB	Available in metallic silver and metallic bronze. Uses 9v battery.	210.00
PG21E	Available in metallic silver only. Uses 9v battery. Includes additional terminal strip For remote monitoring and multiple door Alarming.	230.00
PG21MSS	Available in metallic silver and metallic bronze. Uses 9v battery with yellow strobe on top for noisy areas	265.00
PG30MS PG30MB	Available in metallic silver and metallic bronze. No cylinders required. All exit, entry and security levels programmed through keypad. 3 security levels, master, management and passage. Use 9v battery.	250.00
PG30KPD	Exterior keypad used with PG30 only.	150.00
CEM-KD CEM-12345	Standard mortise cylinder for interior activation. Solid brass body, satin chrome face	21.00
CER-KD CER-12345	Standard rim cylinder for exterior activation. Solid brass body, satin chrome face.	21.00
PP100	AC battery back-up complete with armored cable and housing.	195.00
AC9	AC battery back-up housing only	55.00
BP6	Replacement battery for PG10 & LL1	26.00




DELAYED EGRESS PANIC LOCKS

715 Series - Stand alone delayed egress panic lock. 15 second delayed latch, instant alarm. Instant egress in case of emergency or fire. Meets NFPA 101 Life Safety Code. Includes monitoring output for secondary siren , CCTV or remote monitoring. Smoke detector input.

SPECIFICATIONS:

- Cover: Die cast metal
- Push bar: Extruded aluminum push bar and channel
- Handed: Non-handed
- Installation: Surface mounted for single or double doors
- Cylinder: Accepts most standard size rim cylinder used for Inside and outside key control
- Power: AC powered with 9v battery back-up for siren. Transformer And armored cable included
- Lock bolt: 1" throw heavy die cast with reinforced steel inserts
- Alarm: Dual piezo siren measured at 95db




PRODUCT	DESCRIPTION	LIST PRICE
715X28X88	15 second delayed egress lock. Aluminum finish with monitoring output. 33" bar.	760.00
715x28x88x48	15 second delayed egress lock. Aluminum finish with monitoring output. 48" bar	770.00
CER-KD CER-12345	Standard rim cylinder	21.00
725x28	Single door strike (included with unit)	36.00
735x28	Double door strike (not included with unit)	36.00
SWK-715	Surface wiring kit for wood or glass doors	67.00
767x28	Metal mounting plate for glass doors	11.00
277-12	277v transformer to wire 715 from Exit Sign	46.00
271	Armored cable	36.00

ELECTRIC DEADBOLTS

Models 103 & 104 Fail-safe or fail-secure electric deadbolts. Available In 12v or 24v AC or DC. Perfect for use on narrow stile Doors. Complete with angle, mortise or flush mount strikes. Use with standard key or push button switch.

SPECIFICATIONS:

- Cover: Molded aluminum
- Power : Requires 400 mA for 24v, 800mA for 12v unit
- Deadbolt: Powered by a continuous duty solenoid. 5/8" diameter And 5/8" projection.



PRODUCT	DESCRIPTION	LIST PRICE
103	24v AC or DC. Includes three strikes and magnets. Fail-safe	260.00
103x12	12v AC or DC. Includes three strikes and magnets. Fail-safe	305.00
104RA	24v AC or DC. Includes three strikes and magnets. Fail-secure	310.00
104x12	12v AC or DC. Includes three strikes and magnets. Fail-secure	345.00
221 / 241	24v Plug-in style transformers	37.00
222	24v Wire-in style transformer	37.00

REMOTE RELEASE MAGNET

RR-PM1200 SERIES – Stand alone remote operated infra-red mag lock. Allows remote Lock control by a transmitting keyfob. Infra-red signal is detectable From interior and exterior sides of the door. Keyfob will operate From 10 feet on exterior side and 35 feet from interior side.

SPECIFICATIONS:

Magnet: 1200lb 12v DC magnet
 Power: Includes 12v AC plug in transformer. A 12v DC power supply
 Can be utilized (not included)
 Keyfob: Single button, dual LED infra-red transmitting. Up to 100 keyfobs
 Can be programmed into a single magnet.
 Programming: Each keyfob must be presented to the magnet to enroll keyfob ID into Software.



PRODUCT	DESCRIPTION	LIST PRICE
RR-PM1200PAK	Includes 1 1200lb remote magnet, one AL-REMOTE keyfob and one 12v AC transformer	470.00
RR-PM1200	1200lb remote magnet	410.00
AL-REMOTE	Remote keyfob	55.00

POWER MAGNETS AND EXIT BUTTONS

PRODUCT	DESCRIPTION	LIST PRICE
PM600BI	600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish	240.00
PM600L	600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring	280.00
PM1200	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish	255.00
PM1200SL	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring	295.00
PM1200SLBI	1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors	530.00
PM120040	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" dark bronze finish	255.00
PM1200SLBI40	1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" dark bronze finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors	530.00
PE1	Round red exit button non illuminate Standard switch plate	95.00
PE2	Square green illuminated exit button Standard switch plate	95.00
PE2S	Square green illuminated exit button Narrow switch plate	90.00
PMA-ANGL1	Angle bracket 1 1/2 x 10 1/2	40.00
PMA-ANGL2	Angle bracket adjustable 1 1/2 x2 3/8x 10 1/2	65.00
PMA-ANGL3	Angle bracket adjustable 1 3/8x2 3/8x10 1/2	65.00
PMA-FILL1	Filler plate 10 1/2 x 3/4 x 5/8	30.00

POWER MAGNETS AND EXIT BUTTONS (cont'd)

PRODUCT	DESCRIPTION	LIST PRICE
PMA-FILL2	Filler plate 10 1/2 x 3/4 x 1/2	30.00
PMA-Z1	Z bracket adjustable use with PM600BI Series	135.00
PMA-Z2	Z bracket adjustable use with PM1200 series	215.00
PMA-ARMH1	Armature plate 7 1/4" x 1 1/2" x 19/32"	130.00
PMA-ARMH2	Armature plate 7 1/2" x 2 7/16" x 19/32"	145.00

ALARM LOCK SYSTEMS, INC. WARRANTY/RETURN POLICY

Alarm Lock Systems Inc. warrants its products to be free from manufacturing defects in material and workmanship. The length of said warranty is 24 months on all products from the date of manufacture.

Any customer may get an over-the-counter exchange with the original seller (distributor) for any Alarm Lock product failing to operate properly.

For those customers who have direct accounts with Alarm Lock, please follow this procedure to return product for inspection:

- 1. Call Customer Service at 1 800 252-5625 ext 149 to obtain a return authorization number. Or you can fax a request to 631 842-3574.**
- 2. Advise your customer that upon receipt of said product, Alarm Lock will inspect that product.**
- 3. If said product is found not to be operating properly because of a factory defect and is within the warranty period, Alarm Lock will at the customer's request, either issue a product replacement or a credit to the customer's account.**
- 4. If said product is found not to be operating properly because, it has been repaired by others, improperly installed, improperly used, abused, altered, defaced in any way, or is out of warranty, there will be a charge incurred to repair the product.**

Any customer, who does not have a direct account, can return their product for inspection if it is not operating properly. Upon inspection, the customer will be contacted and advised of the results of the inspection. If the product is found not to be operating properly because of a manufacturing defect, Alarm Lock can repair or replace the product. If the product is found not to be operating properly because, it has been repaired by others, improperly installed, improperly used, abused, altered, defaced in any way, or is out of warranty, there will be a charge incurred to repair the product.

If you experience a problem with any Alarm Lock product, you may contact Alarm Lock's Technical Support directly at 1 800 252-5625.

NOTES

Alarm Lock Systems, Inc.
345 Bayview Ave
Amityville NY 11701
1 800 252-5625
1 631 789-3383
www.alarmlock.com

ALA132P
07/07